

JEB Series


(Jump Eccentric Ball)




Sealless eccentric disc pump



Dimensions



Size 1



Sizes 2 à 5

Materials

	JEBc «Ductile iron»	JEBs «316L Stainless steel»
Piston	Ductile iron	Jumplnox (Option: Bronze)
Cylinder	Ductile iron	316L Stainless Steel
Body / Front cover / Foot	Ductile iron	316L Stainless Steel
Seals	FKM (option FEP/FKM, EPDM...)	
Ball seal	FKM FDA (option FKM Chemical grade)	
Screws	Steel	Stainless steel

Options

- Fitting flanges ISO PN16 or PN20, Clamp, SMS, MACON, RJT, CAM-Lock, DIN, threaded...
- Heating jacket
- Opened front cover, with glass, sanitary drain valve
- External bypass

50	Size 3 - DN65			Size 4 - DN80			Size 5 - DN100		
JEB5	JEB6	JEB9	JEB12	JEB16	JEB20	JEB24	JEB30	JEB36	JEB42
0,086	0,16	0,24	0,33	0,53	0,65	0,78	1,19	1,38	1,57
1000	650	650	650	550	550	550	450	450	450
5	6	9	12	16	20	24	30	36	42
35	71	73	75	127	131	136	185	190	195
378	470	480	490	650	660	670	696	706	716
220	275	275	275	340	340	340	400	400	400
232	295	295	295	360	360	360	402	402	402
105	140	140	140	165	165	165	185	185	185

Illustrations



Very low shear rate

Self priming

Dry run capabilities

Strong suction and
compression power

Hygienic: Innovative sealing
system without mechanical
seal and without retention
zones

CIP /SIP until 10 bar



JEB55s on stationary base plate



JEB1.1s on mobile trolley



JEB1.1s with casing and
heating resistors



JEB1.1s with glass
front cover and drain
valve

Authorised Distributor



Pumps & Systems Pvt. Ltd.

12/25, Site-IV, Sahibabad Ind. Area, Ghaziabad-201010, U.P., (INDIA)

Telephone: +91-9811764048/9811766848 Helpline: +91-9811016348

Email: info@infinitypumps.com. Website: www.infinitypumps.com



Non contractual document. JUMP sari has the rights to change the shape or characteristics of its products without notice.

Product datasheet_JEB Series_v2.0

JUMP - 17 rue Pierre Nobel - BP13 - 45700 Villemandeur - FRANCE

Tel : +33 (0)2.38.99.01.17 - Mail : contact@jump-pump.com

Web : www.jump-pump.com